

जोधपुर नगर निगम, (दक्षिण)



पोलोटेक्निक कॉलेज परिसर, रेजीडेन्सी रोड़, जोधपुर

E-Mail-nnjelectrical@gmail.com

क्रमांक :- न.नि.द / विद्युत / कार्य / 2023 RZ - 12688

दिनांक :- 06/10/2023

निविदा सूचना

U.B. No. DLB2324WSOB28483

जोधपुर नगर निगम में पंजीकृत संवेदक, अन्य विभागों में पंजीकृत (E-EWSD-I) डिजिटल विद्युत लाईसेंस धारी संवेदको से सिलबन्द निविदायें आमंत्रित की जाती हैं।

कंसं	कार्यका नाम	अनु. लागत	धरोहर राशि रूपये	निविदा प्रपत्र मूल्य	कार्य करने की अवधि
1.	Electrification Work of Ward 14 Vivekanand Park JMC South	लाखो में 1.20	2400/-	500/-	2 month

निविदा बेचने की तिथि	दिनांक 6 10 23 सुबह 11:00 बजे
निविदा प्राप्त करने की तिथि	दिनांक 16 10 23 दोपहर 12:00 बजे
निविदा खोलने की तिथि व समय	दिनांक 6 0 23 दोपहर 2:00 बजे

यह निविदा वेबसाईट <u>https://urban.rajasthan.gov.in/MCJS</u> एवं <u>www.sppp.rog.nic.in</u>देखी जा सकती हैं।

निविदा की महत्वपूर्ण शर्ते निम्नानुसार है:-

- अमानत राशि / धरोहर राशि निविदा प्रपत्र में दर्शाई गई कुल अनुमानित लागत की दो प्रतिशत होगी एवं जोधपुर नगर निगम में पंजीकृत संवेदकों से 1/2% धरोहर राशि पी डब्लयू एफ एण्ड एआर के नियमानुसार देय होगी। इसके अतिरिक्त सभी संवेदकों से 2% अमानत राशि देय होगी। पंजीकृत सर्वेदको का पुनर्विलोकन आदेश संलग्न करना होगा अन्यथा निविदा में वंचित / निरस्त किया जायेगा।
- 2. वित्त विभाग (जी एण्ड टी) राजस्थान नोटिफिकशन दिनांक 22.10.2021 के अनुसार लोक उपापन में पारदर्शिता नियम 2013 के नियम 75 ए अनुसार अतिरिक्त परफोरमेन्स सिक्योरिटी जमा करानी होगी।
- संवेदक नगर निगम जोधपुर एंव अन्य राजकीय विभाग में जहाँ पर पंजीकृत हो उसका प्रमाण-पत्र संलग्न करना होगा, अन्यथा निविदा पर विचार नही किया जाएगा।
- 4. यदि किसी कारणवंश उस दिन अवकाश रहता है,तो अगले दिन उसी समय व उसी स्थान पर निविदाये खोली
- 5. निविदा खोलने की दिनांक से 90 दिवस तक निविदा स्वीकृति हेतु मान्य रहेगी। यदि निविदाकर्ता उस अविध में अपनी निविदा अथवा शर्तों में किसी प्रकार का संसोधन करता है अथवा अपनी निविदा वापस ले लेता है तो उसकी धरोहर राशि जब्दा कर ली जायेगी।
- 6. यदि संवेदक का नजदीकी रिश्तेदार (प्रथम रक्त सम्बन्धी व उनके पित / पित्न) इस कार्य से सम्बन्धित जोधपुर नगर निगम कार्यालय में कार्यरत लेखाकार अथवा तकनीकी स्तर का किसी पद पर पदस्थापित हो तो इस कार्य पर नियुक्त करने पर प्रतिबन्ध रहेगा।

Signature yalid

Digitally signed by Uts V Kaushal Designation Commissioner Date: 2023. N. 06/19.09:50 IST Reason: Approver

RajKaj Ref No. : 4855875



- 7. राज्य सरकार में किसी भी अभियांत्रिकी विभाग में किसी भी इंजीनियर अथवा इंजीनियरिंग या प्रशासनिक कार्य पर नियुक्त राजपत्रित अधिकारी, राज्य सरकार की अनुमति के बिना सेवा निवृति के 2 वर्ष तक संवेदक अथवा उसके कर्मचारी के रूप में कार्य नहीं कर सकेगा।
- 8. किसी निविदा को स्वीकार करने एवं बिना कारण बताये निरस्त करने कें समस्त अधिकार सक्षम अधिकारी के पास स्रक्षित है। आर.पी.डब्लयू.ए-100की समस्त शर्तो मान्य होगी।
- 9. संवेदक को निविदा के साथ जीएसटी रजिस्ट्रशन लगाना आवश्यक होगा अन्यथा निविदा पर विचार नहीं किया
- 10. यदि संवेदक के द्वारा कार्य पर लगाये जाने वाले श्रमिकों के मध्य कोई विवाद उत्पन्न होता है तो उसकी प्रबंधकीय जिम्मेदारी संवेदक की होगी उसके लिए उपापन संस्था का सक्षम प्राधिकारी न्युतम मजदुरी अधिनियम 1948 एवं राजस्थान अनुबंधित श्रमिका (नियमन एवं उन्मुलन) अधिनियम 1970 का पालन कारने का उत्तर दियत्व होगा एवं साथ ही संवेदक का पी.एफ. में पंजीकरण अनिवार्य होगा अन्यथा निविदा निरस्त कर दी जायेगी। संवेदक को बिल के समय PF चालान प्रस्तृत करना होगा।

11. संवेदक को RUIDP – 2022 के नियमानुसार Annexture A के अनुसार करवाना होगा, जिस पर होने वाला व्यय संवेदक द्वारा वहन किया जाएगा, निगम द्वारा इस संबंध में कोई भी राशि देय नहीं होगी।

12. सवेंदक को निविदा में मार्गे गये सभी दस्तावेज सलग्न करने होगे अन्यथा निविदा में विचार नहीं किया जायेगा।

नगर निगम, (दक्षिण) जोधपुर दिनांक :- 06/10/2023

क्रमांक :- न.नि.द/विद्युत/कार्य/2023 R2-12689 +0 12693

प्रतिलिपि प्रतिनाच्ये भेज कर लेख है कि आगामी अंक में जोधपुर संस्करण में प्रकाशित कर बिल भुगतान हेतु

🌦 2. ओसवाल डाटा जोधपुर इस निविदा को www.sppp.raj.nic.in पर अपलोड करावें।

- मै. ईलाइट मंत्रा JMC वेबसाइट पर अपलोड करावें।
- बिल लिपिक, नगर निगम, (दक्षिण), जोधपुर।
- नोटिस बोर्ड, नगर निगम, (दक्षिण), जोधपुर।

आयुक्त नगर निगम, (दक्षिण) जोधपुर ।

Signature yalid

Digitally signed by Uts V Kaushal Designation Commissioner Date: 2023. 0.06/17.09:50 IST Reason: Approve

RajKaj Ref No.: 4855875



Jodhpur Municipal Corporation (South), Jodhpur

Name of work:- Electrification work of Ward 14 Park (Vivekanand Park) JMC South

_	SOR 2022	Schedule			("G" Scl		
n. (CODEno	PARTICULARS	Q1	Y.	RAT	E	AMOUN'
	S	upply and erection of M.S. Galvanized Octagonal pole (as per BSEN 40-3-3:2003 /BSEN					
1 1	1	0025/IS 2062 IS:875 Part-1 - 2015/ for MS plate for base flange)of following length and					
	d E180500 g	timension as per table P-01 with base plate on the cement concrete foundation of M-20					
		grade (1:1.5:3) as per IS 456/IS 2911. with the help of anchor bolts of grade 6.8 (IS: 1367 P					
		II) The note shall have a weekler and G at the state of grade 6.8 (13. 1307)			}		
	,	II). The pole shall have a weatherproof flush door and locking arrangements. complete in					
	1	ill respect. All as per pre approved by Engineer in charge. For additional technical					
-	I	parameters of products/ work , refer Annexure "A" attached with this BSR .					
	[E180510 Octagonal MS Poles made of S-355JO grade steel sheet, folded lengthwise to					
		obtained Octagonal shape, having single longitudinal seam weld and hot dipped galvanised					
+	E180511	nternally & externally in accordance with IS 2629. 3 Mtr.	11	Nos.	6210.00	Each	68310.00
+			11	NOS.	0210.00	Davi.	00510.00
		Providing & Laying P.V.C. / XLPE insulated & P.V.C. sheathed Unarmoured / Armoured					
		aluminium cable of 1.1 KV grade as per PWD specification for electrical Works in existing					
		RCC / Hume / Stoneware / PVC pipe/ open duct/cable trench with filling of excavated earth					
		in trench, on existing cable trays or on surface etc. including making necessary connection,					
- 1		testing etc. as required of size and as per points (a), (b), (c), mentioned below:- (a) Material				1 1	
		:- H4- Grade aluminium conductor of purity >99.6 % & as per IS:1554 P-I / IS :7098 P - I					
2	E110100	(b) conductor shall have electrolytic aluminium confirming to IS 8130, IS 3975-1999 for				1 1	
- 1		armouring of cables in armoured cable items, IS 5831 for sheath, IS 10810 (Part 0 to 64)					
		for testing procedures. (c) OEM Must have ISO 9001 & 14001 certifications for quality					
- 1		assuarance & its own in house NABL lab setup for all testing facilities for cables					
		Appropriate type test certificate / OEM test report shall be submitted . All above as per pre					
		approved by Engineer in charge. For additional technical parameters of products/ work,					
		refer Annexure "A" attached with this BSR.					
	E110130	Armoured Cable	- 17				
_							1 100-00-07,11 000-
		6.0 Sq. mm	188	Mtr	71.00	RM	13348.
	E110132A		100	1774	7.1.0		
		Providing & Fixing of Street light bracket made out from following size of 'B' class,					
	E181700	Medium class G.I. Pipe confirming to IS: 1239 P -1 (2004) with heavy duty pole clamp,					
3		Saddles suitable fastners etc. as required. All as per pre approved by Engineer in charge. For					
		additional technical parameters of products/ work, refer Annexure "A" attached with this					
_	E191703	BSR 32 mm Dia.	11	Nos	279.00	Each	3069.00
	E161703	Supplying and drawing FR PVC insulated & unsheathed flexible copper conductor as per					
	E040100	PWD specification for electrical Works with ISI marked (IS:694) and as per IS 8130 : 2013					
		of 1.1 kV grade. Wire should be made from 99.99% purity copper, class 5 stranding in acc.					
l		to IEC 60228 for lower watt loss, oxygen free (<10 ppm) for less chances of oxidization					
		and higher silver content for gives better conductivity, insulation PVC type A or C, flame					
4		retardant as per IS 10810-53, better amperage rating as per VDE 0298 part 4, , in existing					
		retardant as per 18 10810-53, better amperage fatting as per VDE 0238 part 4, , in existing					
		surface or recessed PVC/ MS conduit/casing capping including all as per pre approved by					
		Engineer in charge, making connections, etc. as required. OEM Must have its own in house					
		NABL lab setup for all testing facilities for wires. For additional technical parameters of					
		products/ work, refer Annexure "A" attached with this BSR.	50	Mtr	25.00	RM	1250.00
	E040102	2 x 1.5 sq.mm	50	witt	23.00	ACIVI	1230.00
		Providing & Fixing of ISO certified company made TP&N 415 V front handle operated					
		levitch disconnector fuse unit cubical type, with metallic enclosure, as per PWD					
		specification for electrical Works conforming to IS/IEC 60947-3: 1999 with HBC fuses					
5	E100200	including making connections with lugs, testing etc as required. Appropriate type test					
		landificate / OEM test report shall be submitted. All as per pre approved by Engineer in					
		charge. For additional technical parameters of products/ work, refer Annexure "A" attached					
		with this BSR	1	Nos.	3167.00	Each	3167.00
	E100202	63 A rating Total (G-Schedule)		1100.	2101.00	1 22011	89144.0
	E100202	Total (G-Schedule)			Part-	B (H-Sch	
	E100202						
	E100202	PARTICULARS				11.0	
		PARTICULARS	Q	TY.	RAT	E	AMOUN
S.n.	CODEno	To the Africa of 12 Inch Poly Carbonate POST TOP with 12watt LED Bulb(Make-		TY.	RAT	E	AMOUN
S.n.		PARTICULARS Provide and fixing of 12 Inch Poly Carbonate POST TOP with 12watt LED Bulb(Make-Philips, Bajaj, Surya, Havells) in existing Pole in all respect as per direction of engineering		TY.		E Each	AMOUN



	JMC
I agree to do above "G" Schedule work @ H-Schedule Item -I	2022 electric with JMC terms and conditions