



जोधपुर नगर निगम, (दक्षिण)



पोलोटेक्निक कॉलेज परिसर, रेजीडेन्सी रोड, जोधपुर

E-Mail-nnjelectrical@gmail.com

क्रमांक:-सं./एफ-14/कार्य/2022/RL-12529

दिनांक:- 03/01/2023

अल्पकालिन ई- निविदा सूचना क्रमांक RL-12523 दिनांक 03/01/2023

UBN No.....

जोधपुर नगर निगम दक्षिण द्वारा इच्छुक कार्यो के अनुभवी/योग्यताधारी, डिजिटल विधुत लाईसेन्सधारी संवेदको, नगर निगम में पंजीकृत नियमानुसार E-EWSD श्रेणी संवेदको, अन्य विभाग में पंजीकृत E-EWSD-I ऑन-लाईन "ई" टेण्डर प्रक्रिया से निगम शर्तो के अधीन निविदाये आमंत्रित की जाती है। निविदा के कार्यो, योग्यता, शर्तो की समस्त जानकारी वेबसाईट पर www.eproc.raj.in अथवा www.sppp.raj.nic.in अथवा <https://Urban.rajabasthan.gov.in/MCJS> पर देखी जा सकती है।

(अरुण कुमार पुरोहित)

I.A.S

आयुक्त

नगर निगम (दक्षिण) जोधपुर।

दिनांक:- 03/01/2023

क्रमांक:-सं./एफ-14/कार्य/2022/RL-12530 to 12534

प्रतिलिपि

1. राजस्थान संवाद जोधपुर को भेज कर लेख है कि आगामी अंक में
21.5.22 स्तरीय संस्करण जोधपुर में प्रकाशित कर बिल भुगतान हेतु प्रस्तुत करे।
2. बिल लिपिक, नगर निगम, जोधपुर।
3. IT Cell, नगर निगम जोधपुर। इस निविदा www.sppp.raj.nic.in वेब साईट पर अपलोड करावे।
4. मैसर्स इलीट मंत्रा, JMC वेब साईट पर अपलोड करावे।
5. नोटिस बोर्ड नगर निगम जोधपुर।

॥
आयुक्त

नगर निगम (दक्षिण) जोधपुर।



जोधपुर नगर निगम, (दक्षिण)



पोलोटैक्निक कॉलेज परिसर, रेजीडेन्सी रोड, जोधपुर
E-Mail-nnjelectrical@gmail.com

क्रमांक:-सं./एफ-14/कार्य/2022/RL-12523

दिनांक:- 03/01/2023

अल्पकालिन ई- निविदा सूचना

UBN No -----

जोधपुर नगर निगम दक्षिण द्वारा इच्छुक कार्यो के अनुभवी/योग्यताधारी, डिजिटल विधुत लाईसेन्सधारी संवेदको, नगर निगम में पंजीकृत नियमानुसार श्रेणी संवेदको, अन्य विभाग में पंजीकृत E-EWSD-I ऑन-लाईन "ई" टेण्डर प्रक्रिया से निगम शर्तो के अधीन निविदाये आमंत्रित की जाती है। निविदा की शर्ते लेखा नियमानुसार रहेगी।

क्र.सं.	कार्य का नाम	अनुमानित लागत (लाख)	अमानत राशि	निविदा प्रपत्र शुल्क	कार्य करने की अवधि
1.	नगर निगम मुख्य भवन एवं अन्य कार्यालयों पर लगे सी.सी.टी.वी. कैमरा के रखरखाव एवं संचालन का कार्य। (वार्षिक अनुबंध)	9.52	19040/-	500/-	01 वर्ष

ऑन लाईन निविदा फार्म मिलने व जमा कराने की दिनांक	दिनांक 09/01/2023 से 16/01/2023 तक
निविदा अपलोड करने की अन्तिम तिथि	दिनांक 16/01/23 सायं 12.00 बजे तक
निविदा के दस्तावेज कार्यालय में जमा कराने की दिनांक	दिनांक 16/01/23 अपराह्न 2.00 बजे तक
ऑन लाईन तकनीकी निविदा खोलने की दिनांक	दिनांक 16/01/23 अपराह्न 4.00 बजे तक

विस्तृत विवरण एवं शर्तो के लिए नगर निगम दक्षिण कार्यालय के विद्युत अनुभाग से जानकारी प्राप्त की जा सकती है।

ई निविदा की महत्वपूर्ण शर्ते निम्नानुसार है:-

ई- निविदा प्रपत्रो को वेब साईट <http://eproc.rajasthan.gov.in> से अपलोड डाउनलोड किया जा सकता है। इन निविदाओ में भाग लेने वाले संवेदक निविदा को इलेक्ट्रॉनिक फारमेन्ट में वेबसाईट <http://eproc.rajasthan.gov.in> पर जमा कराए।

- अमानत राशि/धरोहर राशि निविदा प्रपत्र में दर्शाई गई कुल अनुमानित लागत की दो प्रतिशत होगी एवं जोधपुर नगर निगम में पंजीकृत संवेदको से 1/2% धरोहर राशि पी डब्ल्यू एफ एण्ड एआर के नियमानुसार देय होगी। इसके अतिरिक्त सभी संवेदकों से 2% अमानत राशि देय होगी।
- संवेदक नगर निगम जोधपुर एवं अन्य राजकीय विभाग में जहाँ पर पंजीकृत, हो उसका प्रमाण-पत्र संलग्न करना होगा, अन्यथा निविदा पर विचार नहीं किया जाएगा।
- तकनीकी निविदाये इलेक्ट्रॉनिक फारमेन्ट में वेब साईट <http://eproc.rajasthan.gov.in> पर सम्बन्धित कार्यालय में निर्धारित दिनांक 16/01/23 को अपराह्न 04.00 बजे तकनीकी बिड खोली जायेगी। तत्पश्चात् सफल संवेदको की वित्तीय बिड खोली जाएगी।
- यदि किसी कारणवश उस दिन अवकाश रहता है, तो अगले दिन उसी समय व उसी स्थान पर निविदाये खोली जायेंगी।
- निविदा जमा करवाने के बाद निविदा ऑन लाईन खोली जायेगी।
- निविदा खोलने की तिथि को किसी कारणवश यदि सारी निविदाएँ नहीं खोली जा सकती है, तो उसके अगले कार्य दिवस पर शेष निविदाएँ खोलने का कार्य जारी रखा जायेगा।
- संवेदक द्वारा विगत दो वर्ष में एक समान्तर कार्य के कार्योदेश पूर्ण करने का अनुभव प्रमाण-पत्र राजकीय विभाग अधिशाषी अभियन्ता या इनके समान्तर स्तर के अधिकारी का संलग्न करना होगा, अन्यथा निविदा मान्य नहीं होगी।
- कार्यो के सम्मुख उपरोक्तानुसार वर्णित कार्यालय में संवेदक द्वारा दिनांक 09/01/23 से दिनांक 15/01/23 को किसी भी कार्य दिवस में 11.00 बजे पूर्वाह्न से 4.00 बजे अपराह्न निविदा प्रपत्र को देखा जा सकता है अथवा

9. सभी दस्तावेजों को निविदा में अपलोड करना होगा।
10. निविदाकर्ता द्वारा निविदा शुल्क/धरोहर राशि डिमाण्ड ड्राफ्ट द्वारा अथवा निविदा प्रपत्रों में सम्बन्धित कार्यालय में जमा कराना आवश्यक है।
11. निविदा खोलने की दिनांक से 60 दिवस तक निविदा स्वीकृति हेतु मान्य रहेगी। यदि निविदाकर्ता उस अवधि में अपनी निविदा अथवा शर्तों में किसी प्रकार का संसधान करता है अथवा अपनी निविदा वापस ले लेता है तो उसकी धरोहर राशि जब्त कर ली जायेगी।
12. यदि संवेदक का नजदीकी रिश्तेदार (प्रथम रक्त सम्बन्धी व उनके पति/पत्नि) इस कार्य से सम्बन्धित जोधपुर नगर निगम कार्यालय में कार्यरत लेखाकार अथवा तकनीकी स्तर का किसी पद पर पदस्थापित हो तो इस कार्य पर नियुक्त करने पर प्रतिबन्ध रहेगा।
13. राज्य सरकार में किसी भी अभियांत्रिकी विभाग में किसी भी इंजीनियर अथवा इंजीनियरिंग या प्रशासनिक कार्य पर नियुक्त राजपत्रित अधिकारी, राज्य सरकार की अनुमति के बिना सेवा निवृत्ति के 2 वर्ष तक संवेदक अथवा उसके कर्मचारी के रूप में कार्य नहीं कर सकेगा।
14. किसी निविदा को स्वीकार करने एवं बिना कारण बताये निरस्त करने के समस्त अधिकार सक्षम अधिकारी के पास सुरक्षित है। आर.पी.डब्ल्यू.ए-100की समस्त शर्तों मान्य होगी।
15. निविदा शुल्क निम्नानुसार निर्धारित है :-

कार्य की अनुमानित राशि (लाखों में)		निविदा शुल्क
50 लाख से कम	:	500/-रुपये
50 लाख से 150 लाख तक	:	1000/-रुपये
150 लाख से 500 लाख तक	:	2000/-रुपये
500 लाख से उपर	:	5000/-रुपये

16. वित्त विभाग के आदेश अनुसार ई-टेंडर प्रोसेसिंग शुल्क 50.00 लाख रुपये तक की राशि के कार्य के लिए 500/- व 50.00 लाख रुपये से अधिक राशि के कार्यों के लिए 1000/- रु की राशि निविदा शुल्क के अतिरिक्त देनी होगी जो डिमाण्ड या बैंकर के रूप में देय होगी। यह डिमाण्ड ड्राफ्ट या बैंकर चैक MD, RISL, Jaipur payable at jaipur होना चाहिए।
17. कार्य पूर्ण करने की अवधि में मानसुन अवधि सम्मिलित है।
18. संवेदक को ऑनलाईन निविदा के साथ जीएसटी रजिस्ट्रेशन की प्रति लगाना आवश्यक होगा अन्यथा निविदा पर विचार नहीं किया जाएगा।
19. यदि संवेदक द्वारा के कार्य पर लगाये जाने वाले श्रमिकों के मध्य कोई विवाद उत्पन्न होता है तो उसकी प्रबंधकीय जिम्मेदारी संवेदक की होगी उसके लिए उपापन संस्था का सक्षम प्राधिकारी न्युतम मजदुरी अधिनियम 1948 एवं राजस्थान अनुबंधित श्रमिका (नियमन एवं उन्मुलन) अधिनियम 1970 का पालन कारने का उत्तर दयित्व होगा एवं साथ ही संवेदक का पी.एफ. में पंजीकरण अनिवार्य होगा और अन्तिम माह का भरा हुआ पी. एफ का चालान भी निविदा में अपलोड करना होगा। अन्यथा निविदा निरस्त कर दी जायेगी।
20. संवेदक को विगत 3 वर्ष का सी.ए. से प्रमाणित फर्म का टर्नओवर प्रमाण पत्र देना होना अनिवार्य है अन्यथा निविदा निरस्त कर दी जायेगी एवं विगत माह का जी.एस.टी. 3 बी फॉर्म जमा करवाना होगा।
21. नगर निगम में विद्युत पंजीकृत संवेदक को आदेशानुसार पंजीयन रिव्यू कराया जाना आवश्यक होगा, अन्यथा निविदा स्वीकार नहीं की जाएगी। अन्य विभागों में पंजीकृत संवेदको द्वारा नियमानुसार 2% धरोहर राशि जमा करा कर निविदा में भाग ले सकेगा।
22. संवेदक द्वारा किये गए कार्य का बिल बनाकर प्रस्तुत करना होगा उसके पश्चात् ही भुगतान की कार्यवाही कि जाएगी।
23. संवेदक को RUIDP - 2022 के नियमानुसार Annexure A के अनुसार करवाना होगा, जिस पर होने वाला व्यय संवेदक द्वारा वहन किया जाएगा, निगम द्वारा इस संबंध में कोई भी राशि देय नहीं होगी।
24. ई-टेंडरिंग के लिए निविदादाता हेतु निर्देश:-
(अ) इन निविदाओं में दिलचस्पी लेने वाले निविदादाता निविदा प्रपत्रों का इन्टरनेटसाईट <http://eproc.rajasthan.gov.in> से डाउनलोड कर सकते हैं।

(ब) निविदाओं में भाग लेने वाले निविदादाताओं का इन्टरनेट साईट <http://eproc.rajasthan.gov.in> पर रजिस्टर करवाना होगा। ऑन लाईन निविदा में भाग लेने के लिए डिजिटल सर्टिफिकेट इनफोनेरमेशन टेक्नोलॉजी एक्ट 2000 के तहत प्राप्त करना होगा जो इलेक्ट्रॉनिक निविदा में साइन करने हेतु काम आयेगा। निविदा दाता उपरोक्त डिजिटल सर्टिफिकेट सी.सी.ए द्वारा स्वीकृति एजेन्सी से प्राप्त कर सकते हैं। जिन निविदा दाताओं के पास पूर्व में वैध डिजिटल सर्टिफिकेट है, नया डिजिटल सर्टिफिकेट लेने की आवश्यकता नहीं है।

(स) निविदा दाताओं को निविदा प्रपत्र इलेक्ट्रॉनिक फॉर्मेट में उपरोक्त वेबसाईट पर डिजिटल सर्टिफिकेट साइन के साथ प्रस्तुत करना होगा, जिसके प्रस्ताव डिजिटल साइन के साथ नहीं होंगे, उनके प्रस्ताव स्वीकार नहीं किये जायेंगे। कोई भी प्रस्ताव अकेले भौतिक फॉर्म में स्वीकार्य नहीं होगा।

(द) ऑन लाईन निविदाएं निर्धारण दिनांक एवं समय के अनुसार खोली जायेंगी।

(य) इलेक्ट्रॉनिक निविदा प्रपत्रों को जमा कराने से पूर्व निविदादाताओं यह सुनिश्चित कर लेवे की प्रपत्रों से सम्बन्धित सभी आवश्यक दस्तावेज की स्कैन कॉपी निविदा प्रपत्रों के साथ संलग्न कर दी गयी है।

(र) कोई भी टेन्डर ऑनलाईन जमा कराने में किसी कारण से लेट हो जाता है तो उसका जिम्मेवार विभाग नहीं होगा।

(ल) टेन्डर के प्रपत्रों में आवश्यक सभी सूचियों को सम्पूर्ण रूप से भरकर ऑन लाईन दर्ज करे।

(व) ई-निविदा में सभी मांगे गये दस्तावेज को ई-निविदा पोर्टल पर अपलोड करना होगा।

(अरुण कुमार पुरोहित)
I.A.S

आयुक्त
नगर निगम, (दक्षिण) जोधपुर

दिनांक :- 03/01/2023

क्रमांक:-सं./एफ-14/कार्य/2021/RL-12524 to 12528
प्रतिलिपि:-

- निर्देशक स्थानिय निकाय जयपुर।
- उप- निर्देशक स्थानिय निकाय जोधपुर।
- लेखाधिकारी, नगर निगम दक्षिण जोधपुर।
- नोटिस बोर्ड नगर निगम दक्षिण जोधपुर।
- ओसवाल डाटा प्रोसेस नगर निगम जोधपुर, इस निविदा को निगम वेब साईट पर अपलोड करावे।

आयुक्त
नगर निगम (दक्षिण) जोधपुर।

Nagar Nigam (South), Jodhpur

Name of
work:-

AMC For Existing CCTV Camera at JMC Building and Other Office JMC South

RUIDP 2022 and PWD
BSR 2022


Schedule

Part A ("G" Schedule)

S.n.	CODEno	PARTICULARS	QTY.		RATE		AMOUNT
1	E250900	Providing experienced and Highly skilled/skilled/ semi-skilled/Un Skilled labour for electric repair/ maintenance / operation of Air conditioning/Air cooling/Fire fighting/Lift/DG set/CCTV/EPABX or any other electromechanical systems as per requirement (one shift of 8 Hrs per day for 26 Working Days in a month)					
a	E250901	Highly skilled Labour(2 labour)	2	Month	9956.00	Each Per Month	19912.00
b	E250902	skilled Labour (1 labour)	1	Month	8197.00	Each Per Month	8197.00
for 12 Month Rs							337308.00
2	E250910	Add for extra working on Holidays.					
a	E250911	Highly skilled Labour	50	Nos of Day	383.00	Each Per Day	19150.00
b	E250912	skilled Labour	50	Nos of Day	315.00	Each Per Day	15750.00
3	E251100	Hire charges for 50/55" HD LED/Plazma TV complete with mounting arrangement , connections, testing etc.with skilled operator to operate system as and when etc as required. (If workcontinuee for more then one day , rates for next subsequent days will be 50% of the original rates.)	5	No	5251.00	Each	26255.00
4	E200200	Supply, Drawing and Testing of 4 pair, 23 AWG Solid Bare Copper wire insulated with PVC, Category 6A , FTP (Foiled Twisted Pair), 100 Ohm Impedance, Indoor Cable as per latest ammendments of ANSI/TIA/EIA-568 , The copper conductors should be balanced twisted in pairs, Unscreened and Aluminum Foil Sheilding of Individual pairs protected by a Low Smoke Zero Halogen (LSZH) Jacket. Certified performance in a 4-connector configuration upto 100 Mtrs channel requirements & transmission frequencies up to 500 Mhz. Cable Should support Ethernet 10GBASE-T according to the standards. in existing MS/PVC Conduits/casing capping including making connections to Information outlets and Patch Panels with jack & ferruling at both ends for identification with necessary tools for punching, stripping, crimping and testing etc as required complete in all respect. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	1000	Mtr	67.00	RM	67000.00
5	27.1	SITC of IR IP Based 5 MP Dome camera : 1/2.8" Progressive CMOS, ICR, IR, 2560(H)x1920(V):25fps(P) , 2.8/3.6 mm lens (As per site requirement) H 264,H265/MJPEG, dual-stream, 120dB WDR or better, 3D DNR, BLC, IR: minimum 30 mtr, Provision for Support on-board storage up to 256 GB (SD card notincluded), intrusion detection, Line crossing detection, Motion detection, Dynamicanalysis, Alarm should be trigger on (Tampering alarm, Network disconnect, IP address conflict, Storage exception), security feature such as (password protection, privacy mask, watermark, IP address filtering, anonymous access), Open standard to support ONVIF (PROFILE S, PROFILE G), Metal Housing, Vandal-proof housing IP 67, DC 12V & PoE, Complete with Junction box for cable management Oerating Conditions : 20 °C - 50 °C or better. Model should be : CE, BIS/UL,FCC,ROHS compliance. The CCTV OEM should have CMMI Level 5 or above or equivalent setup certification. The CCTV OEM should have its office and service/ support center in RajasthanAll as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR	10	nos	8000.00	Each	80000.00
6	27.2	SITC of IR IP based 5 MP Bullet Camera 5 MP , Video Resolution: 2592(H)x1944(V) Pixels , 1 to @25 fps; Image Sensor: 1/2.8-inch CMOS; Built in Infra-Red: 40 to 50 mtr; High Dynamic Range- 120 dB WDR; Lense- 2.8/3.6 mm, ;H264,H265/MJPEG , provision for Support on-board storage up to 256 GB (SD card not included) , intrusion detection, Line crossing detection, Motion detection, Dynamic analysis, Alarm should be trigger on (Tampering alarm, Network disconnect, IP address conflict, Storage exception), security feature such as (password protection, privacy mask, watermark, IP address filtering, anonymous 27.2 access), Open standard to support ONVIF (PROFILE S, PROFILE G), Metal Housing, Vandal-proof housing IP 67, DC 12V & PoE, Complete with Junction box for cable management Oerating Conditions : -30°C to + 70 °C or better. Onvif Profile S,G,Confinnant;Model should be : CE, BIS/UL,FCC,ROHS complianceThe CCTV OEM should have CMMI Level 5 or above or equivalent setup certification. The CCTV OEM should have its office and service/ support center in RajasthanAll as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR	15	nos	8200.00	Each	123000.00

S.n.	CODE No	PARTICULARS	QTY.		RATE		AMOUNT
7		Supply, Installation, Testing & Commissioning of 16 ch NVR Pre-licensed, NVR supports upto 40 TB HDD Support, 16ch IP inputs; ; Support ANR technology; 320mbps incoming bandwidth, supports up to 12MP full channel recording; support H.265 compression; 16ch synchronised playback @1080p; support 3rd party cameras ONVIF type; 4K output; minimum 04 SATA HDD Slots; each slot should support upto 10TB HOD; Dual gigabit self adaptive Ethernet interface; serial interface; USB interface; (all cameras and Storage-NVR should be of same make for the smooth 27.3 functioning of the system) complete with mounting accessories & junction box (to be provided by OEM) for cable management. Model should be : Certificates of Compliance: UL, CE/FCC, BIS. The CCTV OEM should have CMMI Level 5 or above or equivalent setup certification. The CCTV OEM should have its office and service/ support center in Rajasthan All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR	4	nos	32000.00	Each	128000.00
8	27.5	Supply, Installation, Testing & Commissioning of 3.5" 6 TB SATA ,USB 3.0 Surveillance Hard Disk .All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this B-R	5	nos	14160.00	Each	70800.00
9		SITC of 4 port Giga PoE Switch with dual uplink : unmanaged PoE switch; -tX10/1 00/ 1000 mbps Base-T PoE; 1*10/100/ 1000 Base-T (Uplink) or 1* 1000 Base-X (uplink); PoE Power Consumption per Port: ~30W; power budget: minimum 48 W; PoE Protocols: IEEE802.3af, IEEE802.3at , Switching Capacity: 10 Gbps or better; MAC Table Size 2K or better; forking Temperature: -5°C~55°C; Power supply: DC48~57V Certificate of compliance: CE/FCC. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with P.W.D. Electrical B.S.R. 2022.	5	nos	4761.00	Each	23805.00
		SITC of 8 port Giga PoE Switch with dual uplink : unmanaged PoE switch; 8X10/1 00/ 1000 mbps Base-T PoE; 2*10/100/1000 Base-T (Uplink) or 2*1000 Base-X (uplink); PoE Power Consumption per Port: ~30W; power budget: minimum 96 W; PoE Protocols: IEEE802.3af, IEEE802.3at , Switching Capacity: 20 Gbps or better; MAC Table Size 2K or better; Working Temperature: -5°C~55°C; Power supply: DC48~57V Certificate of compliance: CE/FCC. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with P.W.D. Electrical B.S.R. 2022.	4	nos	5820.00	Each	23280.00
	E040200	Supplying and drawing RoHS compliance, 75 ohm coaxial cable with 18 AWG Copper Covered Steel conductor/ 14 AWG Copper Covered Steel , Foam FEP insulated shielding (typically aluminum foil, and 95% copper braid), and tolerances are more tightly controlled, to improve impedance stability and protected with PVC sheath, Flame Rating -NFPA 262 , in existing surface or recessed conduit/casing capping including , all as per pre approved by Engineer in charge, making connections, as required. For technical terms and conditions , refer Annexure "A" attached with this BSR .					
	E040202	RG -11	300	mtr	34.00	RM	10200.00
	E051600	P & F 3.0 mm thick Poly propylene plastic polished concealed fan box, square of size (106x106) mm dia, depth 50 mm , 10 mm dia rod of SS with platinum coated with 55 mm length extended on each side . All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	70	nos	99.00	Each	6930.00
Total (G-Schedule)							931478.00

Part B ("H" Schedule)							
S.n.	CODE No	PARTICULARS	QTY.		RATE		AMOUNT
1		Supply and fixing of Power adaptor for existing HD camera in all respect as per direction of Engineering Incharge.	10	Nos		Each	
2		Supply and fixing of BNC/DC connector for existing/new CCTV camera in all respect as per direction of engineering Incharge.	100	Nos		Each	
3		Supply of 32 GB pen drive	5	Nos		Each	
Total (H-Schedule)							


 XEN(Elect)
 JMC

I agree to do above "G" Schedule work @ above/below on RUIDP/BSR PWD electric with JMC terms and conditions.

H" Schedule

Item No. 1 Each
 Item No. 2 Each
 Item No. 3 Each

Signature of Contractor