

Project Management and Capacity Building Consultancy (PMCBC)

For Rajasthan Urban Drinking Water, Sewerage and Infrastructure Development

Corporation Ltd, External Aided Project (RUDSICO-EAP (Erstwhile RUIDP)

STC

Shah Technical Consultants Private Limited

ADDRESS : 3rd Floor, AVS Building, Jawahar Circle, JLN Marg, Jaipur-302017 E-Mail: stc.pmcbc@rstdsp.com Tele: +91-141-4914966

Ref. PMCBC/RSTDSP/GEN/ 2973.

Date: 12.01.2022

To,

Sub: Invitation of Quotation for Supply of Storage Unit

Project Management, Capacity Building Consultancy (PMCBC) on behalf of Rajasthan Urban Infrastructure Development Project (RUIDP) proposes for supply of Storage Unit.

Interested Vendors are invited to quote the lowest rates for:

S.No.	Item Name	Item Description	Overall Size	Qty.
1	Almira (Iron/ Steel)	Storwel Plain, 20 Gauge, made of CRCA 'D' grade high yield strength as per IS:513, Mazak handle, Three way locking mechanism with Shooting Bolts. height wise adjustable shelf mounting, Uniformly Distributed Load Capacity of max 40 Kg. M10 Screw type Leveller with Hex plastic base. The finishing shall include Epoxy powder coated to the thickness of 50 microns.	916mm(W) x486mm(D) x1980mm(H)	11
2	Vertical Filing Cabinet (Iron/Steel)	Vertical Filing Cabinets 4 Drawer, 20 Gauge, Made of CRCA. 1 Point Locking Mechanism and a Rigid Knock Down Construction. The Top, Side & Drawer Front thickness should be 0.7mm. The Frames, Drawer-inside cover and Side Back Side thickness should be 0.6mm. The Back, Bottom and Drawer thickness should be 0.5mm. Finishing include Epoxy powder coated to the thickness of 50 microns.	1320(H) x470(W) x620(D)	04


Quotation should be in prescribed format provided as Annexure A. Vendor Information Sheet provided as Annexure B.

Important Dated:

S.No.	Event	Date & Time
1	Last Date & Time for submission of quotations	18-01-2021 (Up to 03:00 PM Only)
2	Date & Time for opening of quotations	18.01.2021 (3: 30 PM)


Important Points to be noted:

1. The details are also available on the RUIDP website (www.ruidp.rajasthan.gov.in) and RUIDP notice board.
2. The vendors should submit the quotations in the sealed envelope duly signed and stamped in prescribed format otherwise, it may not be considered.
3. Quotation should reach to the office of PMCBC before the mentioned deadline.
4. Vendors may contact Project Coordinator PMCBC, RUIDP on 0141-4914966 for any related information, between 10:00 am to 5:00 pm on any working day.
5. Rate shall be given exclusive of all applicable taxes. Applicable taxes, whatsoever, may be mentioned separately.
6. The item shall be supplied within 1-2 weeks' time from the placement of order.


Jaswant Kr. Singh
Project Coordinator
PMCBC

7. Payment will be made after 30-45 days of delivery of item in the office.
8. The authority has the right to change the quantity or cancel the procurement process at any point of time without assigning any reason thereof.
9. The quotation shall be valid for 60 days from the date of receipt of the quotation in this office.

For Shah Technical Consultants Pvt. Ltd.


12/01/2022

Jaswant Kumar Singh
Project Coordinator
PMCBC, RUIDP
Jaipur

Encl:

Annexure A : Quotation Format
Annexure B : Vendor Information Sheet

Copy to the following:

1. ACP, RUIDP (To upload on RUIDP website)
2. Guard RUIDP (For notice board of RUIDP)

QUOTATION FORMAT

Annexure A

Name of Vendor: _____

S.No.	Particular	Specification	Size	Units	Base Price Per Unit (In Rs.)	Applicable Taxes / Unit (In Rs.)	Final Rate Per Unit (Inclusive of Applicable Taxes) (In Rs.)	Total cost of Units Required (In Rs.)
a	b	c	d	e	f (d+e)	g (c*f)		
1	Storwel Plain	Storwel Plain, 20 Gauge, made of CRCA 'D' grade high yield strength as per IS:513, Mazak handle, Three way locking mechanism with Shooting Bolts, height wise adjustable shelf mounting, Uniformly Distributed Load Capacity of max 40 Kg. M10 Screw type Leveller with Hex plastic base. The finishing shall include Epoxy powder coated to the thickness of 50 microns.	916mm(W) X486mm(D) X1980mm(H)	11 Qty.				
2	Vertical Filing Cabinet	Vertical Filing Cabinets 4 Drawer, 20 Gauge, Made of CRCA, 1 Point Locking Mechanism and a Rigid Knock Down Construction. The Top, Side & Drawer Front thickness should be 0.7mm. The Frames, Drawer-inside cover and Side Back Side thickness should be 0.6mm. The Back, Bottom and Drawer thickness should be 0.5mm. Finishing include Epoxy powder coated to the thickness of 50 microns.	1320mm(H) x470mm(W) x620mm(D)	04 Qty.				



 Jaswant Kr. Singh
 Project Co-ordinator
 PMCBG-RS1DSP

Annexure B

Vendor Information Sheet		
S.No.	Particular	
1	Name & Address of the Vendor	
2	Telephone No.	
3	Email Address	
4	Type of Firm (Individual/partnership/Private Ltd.)	
5	GST Number of the Vendor	
6	PAN of the Vendor	
7	Authorized Contact Person	
8	Mobile Number of Contact Person	
9	Email ID of Contact Person	

Date:

Stamp

Signature &



Jaswant Kr. Singh
Project Coordinator
PMGBC-NSTDSP